

Machine Learning with WEKA

Eibe Frank

Department of Computer Science,
University of Waikato, New Zealand

- WEKA: A Machine Learning Toolkit
- The Explorer
 - Classification and Regression
 - Clustering
 - Association Rules
 - Attribute Selection
 - Data Visualization
- The Experimenter
- The Knowledge Flow GUI
- Conclusions

WEKA: the bird



Copyright: Martin Kramer (mkramer@wxs.nl)

WEKA: the software

- Machine learning/data mining software written in Java (distributed under the GNU Public License)
- Used for research, education, and applications
- Complements “Data Mining” by Witten & Frank
- Main features:
 - ◆ Comprehensive set of data pre-processing tools, learning algorithms and evaluation methods
 - ◆ Graphical user interfaces (incl. data visualization)
 - ◆ Environment for comparing learning algorithms

WEKA: versions

- There are several versions of WEKA:
 - ◆ WEKA 3.0: “book version” compatible with description in data mining book
 - ◆ WEKA 3.2: “GUI version” adds graphical user interfaces (book version is command-line only)
 - ◆ WEKA 3.3: “development version” with lots of improvements
- This talk is based on the latest snapshot of WEKA 3.3 (soon to be WEKA 3.4)

WEKA only deals with “flat” files

@relation heart-disease-simplified

@attribute age numeric

@attribute sex { female, male}

@attribute chest_pain_type { typ_angina, asympt, non_anginal, atyp_angina}

@attribute cholesterol numeric

@attribute exercise_induced_angina { no, yes}

@attribute class { present, not_present}

@data

63,male,typ_angina,233,no,not_present

67,male,asympt,286,yes,present

67,male,asympt,229,yes,present

38,female,non_anginal,?,no,not_present

...



Flat file in
ARFF format

WEKA only deals with “flat” files

@relation heart-disease-simplified

@attribute age numeric

@attribute sex { female, male}

@attribute chest_pain_type { typ_angina, asympt, non_anginal, atyp_angina}

@attribute cholesterol numeric

@attribute exercise_induced_angina { no, yes}

@attribute class { present, not_present}

@data

63,male,typ_angina,233,no,not_present

67,male,asympt,286,yes,present

67,male,asympt,229,yes,present

38,female,non_anginal,?,no,not_present

...

numeric attribute

nominal attribute



Weka GUI Chooser

Waikato Environment for Knowledge Analysis




(c) 1999 - 2003
University of Waikato
New Zealand



GUI

Simple CLI Explorer

Experimenter KnowledgeFlow





Weka GUI Chooser

Waikato Environment for Knowledge Analysis


(c) 1999 - 2003
University of Waikato
New Zealand




GUI




Simple CLI Explorer

Experimenter KnowledgeFlow



A screenshot of the Weka Experimenter interface, showing various configuration options for running experiments, such as the number of repetitions and the algorithm to use.





Explorer: pre-processing the data

- Data can be imported from a file in various formats: ARFF, CSV, C4.5, binary
- Data can also be read from a URL or from an SQL database (using JDBC)
- Pre-processing tools in WEKA are called “filters”
- WEKA contains filters for:
 - ◆ Discretization, normalization, resampling, attribute selection, transforming and combining attributes, ...



Weka Knowledge Explorer

- Preprocess**
- Classify
- Cluster
- Associate
- Select attributes
- Visualize

- Open file...
- Open URL...
- Open DB...
- Undo
- Save...

Filter

None

Current relation

Relation: None
Instances: None

Attributes: None

Selected attribute


Name: None	Type: None
Missing: None	Distinct: None
	Unique: None


Attributes

Status

Welcome to the Weka Knowledge Explorer

 x 0





Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose None Apply

Current relation: Relation: iris Instances: 150 Attributes: 5

Selected attribute: Name: sepalength Type: Numeric Missing: 0 (0%) Distinct: 35 Unique: 9 (6%)

Statistic	Value
Minimum	4.3
Maximum	7.9
Mean	5.843
StdDev	0.828

Attributes:


No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Colour: class (Nom) Visualize All

Bin Range	Blue Class	Red Class	Cyan Class
4.3 - 4.6	5	0	0
4.6 - 4.9	8	0	0
4.9 - 5.2	13	0	0
5.2 - 5.5	21	0	0
5.5 - 5.8	13	14	0
5.8 - 6.1	10	14	0
6.1 - 6.4	0	10	16
6.4 - 6.7	0	7	16
6.7 - 7.0	0	2	15
7.0 - 7.3	0	0	5
7.3 - 7.6	0	0	1
7.6 - 7.9	0	0	5

Status: OK

Log x 0



Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose None Apply

Current relation: Relation: iris Instances: 150 Attributes: 5

Selected attribute: Name: class Type: Nominal Missing: 0 (0%) Distinct: 3 Unique: 0 (0%)

Label	Count
Iris-setosa	50
Iris-versicolor	50
Iris-virginica	50


Attributes:

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Colour: class (Nom) Visualize All


Class	Count
Iris-setosa	50
Iris-versicolor	50
Iris-virginica	50

Status: OK


Log  x 0




sepal length




sepal width





petal length




petal width



class





Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **None** Apply

Current relation: Relation: iris Instances: 150 Attributes: 5

Attributes:

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class


Selected attribute: Name: petallength Type: Numeric
Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All

Status: OK

Log x 0



Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter

- weka
 - filters
 - unsupervised
 - attribute
 - instance

Selected attribute

Name: petalength Type: Numeric
 Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter

- weka
 - filters
 - unsupervised
 - attribute
 - Add
 - AddCluster
 - AddExpression
 - AddNoise
 - Copy
 - Discretize
 - FirstOrder
 - MakeIndicator
 - MergeTwoValues
 - NominalToBinary
 - Normalize
 - NumericToBinary
 - NumericTransform
 - Obfuscate
 - PKIDiscretize
 - Remove
 - RemoveType

Selected attribute

Name: petalength Type: Numeric
 Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -B 10 -R first-last** Apply

Current relation
Relation: iris
Instances: 150 Attributes: 5

Selected attribute
Name: petallength Type: Numeric
Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Attributes

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -B 10 -R first-last** Apply

Current relation
Relation: iris
Instances: 150
Attributes: 5

Selected attribute
Name: petallength
Type: Numeric
Missing: 0 (0%)
Distinct: 43
Unique: 10 (7%)

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Attributes

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Colour: class (Nom) Visualize All

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter

Choose **Discretize -B 10 -R first-last**

Current relation

Relation: iris
Instances: 150

Attributes: 5

No.	Name
1	sepal.length
2	sepal.width
3	petal.length
4	petal.width
5	class

weka.gui.GenericObjectEditor

weka.filters.unsupervised.attribute.Discretize

About

An instance filter that discretizes a range of numeric attributes in the dataset into nominal attributes. More

attributeIndices: first-last

bins: 10

findNumBins: False

invertSelection: False

makeBinary: False

useEqualFrequency: False

: Numeric
: 10 (7%)

Visualize All

Open... | Save... | OK | Cancel

Bin Range	Count
1.0 - 1.36	11
1.36 - 1.72	2
1.72 - 2.08	0
2.08 - 2.44	0
2.44 - 2.80	3
2.80 - 3.16	4
3.16 - 3.52	16
3.52 - 3.88	16
3.88 - 4.24	10
4.24 - 4.60	2
4.60 - 4.96	4

Status

OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -B 10 -R first-last** weka.gui.GenericObjectEditor Apply

Current relation: Relation: iris, Instances: 150, Attributes: 5

Attributes:

No.	Name
1	sepal.length
2	sepal.width
3	petal.length
4	petal.width
5	class

weka.filters.unsupervised.attribute.Discretize

About: An instance filter that discretizes a range of numeric attributes in the dataset into nominal attributes. More

attributeIndices: first-last

bins: 10

findNumBins: False

invertSelection: False

makeBinary: False

useEqualFrequency: False

Open... Save... OK Cancel

Visualize All

Status: OK Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -B 10 -R first-last** weka.gui.GenericObjectEditor Apply

Current relation: Relation: iris, Instances: 150, Attributes: 5

Attributes:

No.	Name
1	sepal.length
2	sepal.width
3	petal.length
4	petal.width
5	class

weka.filters.unsupervised.attribute.Discretize

About: An instance filter that discretizes a range of numeric attributes in the dataset into nominal attributes. More

attributeIndices: first-last

bins: 10

findNumBins: False

invertSelection: False

makeBinary: False

useEqualFrequency: True

Open... Save... OK Cancel Visualize All

Bin Range	Count
1.0 - 1.2	11
1.2 - 1.4	2
1.4 - 1.6	0
1.6 - 1.8	0
1.8 - 2.0	3
2.0 - 2.2	4
2.2 - 2.4	16
2.4 - 2.6	16
2.6 - 2.8	10
2.8 - 3.0	2
3.0 - 3.2	4
3.2 - 3.4	0
3.4 - 3.6	0
3.6 - 3.8	0
3.8 - 4.0	0
4.0 - 4.2	0
4.2 - 4.4	0
4.4 - 4.6	0
4.6 - 4.8	0
4.8 - 5.0	0
5.0 - 5.2	0
5.2 - 5.4	0
5.4 - 5.6	0
5.6 - 5.8	0
5.8 - 6.0	0
6.0 - 6.2	0
6.2 - 6.4	0
6.4 - 6.6	0
6.6 - 6.8	0

Status: OK Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -B 10 -R first-last** weka.gui.GenericObjectEditor Apply

Current relation: Relation: iris, Instances: 150, Attributes: 5

Attributes:

No.	Name
1	sepal.length
2	sepal.width
3	petal.length
4	petal.width
5	class

weka.filters.unsupervised.attribute.Discretize

About: An instance filter that discretizes a range of numeric attributes in the dataset into nominal attributes. More

attributeIndices: first-last

bins: 10

findNumBins: False

invertSelection: False

makeBinary: False

useEqualFrequency: True

Visualize All

Open... | Save... | **OK** | Cancel

Status: OK Log x 0



Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate
- Select attributes
- Visualize

- Open file...
- Open URL...
- Open DB...
- Undo
- Save...

Filter

Choose **Discretize -F -B 10 -R first-last** Apply

Current relation

Relation: iris
Instances: 150 Attributes: 5

Selected attribute

Name: **petallength** Type: Numeric
Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Attributes

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All



Status

OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose **Discretize -F -B 10 -R first-last** Apply

Current relation
Relation: iris
Instances: 150 Attributes: 5

Attributes

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Selected attribute
Name: petallength Type: Numeric
Missing: 0 (0%) Distinct: 43 Unique: 10 (7%)

Statistic	Value
Minimum	1
Maximum	6.9
Mean	3.759
StdDev	1.764

Colour: class (Nom) Visualize All

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter

Choose **Discretize -F -B 10 -R first-last** Apply

Current relation

Relation: iris-weka.filters.unsupervised.attribute.Disc...
 Instances: 150 Attributes: 5

Selected attribute

Name: petallength Type: Nominal
 Missing: 0 (0%) Distinct: 10 Unique: 0 (0%)

Label	Count
'(-inf-1.45]'	23
'(1.45-1.55]'	14
'(1.55-1.8]'	11
'(1.8-3.95]'	13
'(3.95-4.35]'	14
'(4.35-4.65]'	15
'(4.65-5.05]'	18

Attributes

No.	Name
1	sepalength
2	sepalwidth
3	petallength
4	petalwidth
5	class

Colour: class (Nom) Visualize All

Label	Count	Class 1 (Blue)	Class 2 (Red)	Class 3 (Cyan)
'(-inf-1.45]'	23	23	0	0
'(1.45-1.55]'	14	14	0	0
'(1.55-1.8]'	11	11	0	0
'(1.8-3.95]'	13	2	11	0
'(3.95-4.35]'	14	0	14	0
'(4.35-4.65]'	15	0	15	0
'(4.65-5.05]'	18	0	12	6
'(4.65-5.05]'	17	0	0	17
'(4.65-5.05]'	13	0	0	13

Status

OK

Log x 0

Explorer: building “classifiers”

- Classifiers in WEKA are models for predicting nominal or numeric quantities
- Implemented learning schemes include:
 - ◆ Decision trees and lists, instance-based classifiers, support vector machines, multi-layer perceptrons, logistic regression, Bayes’ nets, ...
- “Meta”-classifiers include:
 - ◆ Bagging, boosting, stacking, error-correcting output codes, locally weighted learning, ...



Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

ZeroR

Test options

- Use training set
- Supplied test set
- Cross-validation Folds
- Percentage split %

(Nom) class

Result list (right-click for options)

[Empty result list area]


Classifier output


[Empty classifier output area]

Status

OK









Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

J48 -C 0.25 -M 2

Test options

- Use training set
- Supplied test set
- Cross-validation Folds
- Percentage split %

(Nom) class

Result list (right-click for options)

[Empty result list area]


Classifier output

[Empty classifier output area]

Status

OK





Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose J48 -C 0.25 -M 2

Test options

- Use training set
- Supplied test set Set...
- Cross-validation Folds 10
- Percentage split % 66


More options...

(Nom) class

Start Stop

Result list (right-click for options)

Status: OK


Log  x 0

weka.gui.GenericObjectEditor

weka.classifiers.trees.j48.J48

- binarySplits: False
- confidenceFactor: 0.25
- minNumObj: 2
- numFolds: 3
- reducedErrorPruning: False
- saveInstanceData: False
- subtreeRaising: True
- unpruned: False
- useLaplace: False

Open... Save... OK Cancel





Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

J48 -C 0.25 -M 2

Test options

- Use training set
- Supplied test set
- Cross-validation Folds
- Percentage split %

(Nom) class

Result list (right-click for options)

[Empty result list area]


Classifier output

[Empty classifier output area]

Status

OK







Classifier

J48 -C 0.25 -M 2

Test options

- Use training set
- Supplied test set
- Cross-validation Folds
- Percentage split %

(Nom) class


Result list (right-click for options)


Classifier output

Status

OK







Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose J48 -C 0.25 -M 2

Test options

- Use training set
 - Supplied test set
 - Cross-validation Folds
 - Percentage split %
-

(Nom) class

Result list (right-click for options)

Classifier output


Classifier evaluation opt

- Output model
- Output per-class stats
- Output entropy evaluation measures
- Output confusion matrix
- Store predictions for visualization
- Output text predictions on test set
- Cost-sensitive evaluation

Random seed for XVal / % Split

Status
OK

x 0





Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

J48 -C 0.25 -M 2

Test options

- Use training set
- Supplied test set
- Cross-validation Folds
- Percentage split %

(Nom) class

Result list (right-click for options)

[Empty result list area]


Classifier output

[Empty classifier output area]

Status

OK





Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose J48 -C 0.25 -M 2

Test options:
 Use training set
 Supplied test set Set...
 Cross-validation Folds 10
 Percentage split % 66
More options...

(Nom) class

Start Stop

Result list (right-click for options)
11:49:05 - trees.j48.J48

Classifier output:
=== Run information ===
Scheme: weka.classifiers.trees.j48.J48 -C 0.25 -M 2
Relation: iris
Instances: 150
Attributes: 5
sepallength
sepalwidth
petallength
petalwidth
class
Test mode: split 66% train, remainder test
--- Classifier model (full training set) ---
J48 pruned tree

petalwidth <= 0.6: Iris-setosa (50.0)
petalwidth > 0.6
| petalwidth <= 1.7
| | petallength <= 4.9: Iris-versicolor (48.0/1.0)
| | petallength > 4.9
| | | petalwidth <= 1.5: Iris-virginica (3.0)
| | | petalwidth > 1.5: Iris-versicolor (3.0/1.0)
| | petalwidth > 1.7: Iris-virginica (46.0/1.0)
Number of Leaves : 5

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose J48 -C 0.25 -M 2

Test options

Use training set

Supplied test set Set...

Cross-validation Folds 10

Percentage split % 66

More options...

(Nom) class

Start Stop

Result list (right-click for options)

11:49:05 - trees.j48.J48


Classifier output


```
=== Run information ===
Scheme:      weka.classifiers.trees.j48.J48 -C 0.25 -M 2
Relation:    iris
Instances:   150
Attributes:  5
             sepallength
             sepalwidth
             petallength
             petalwidth
             class
Test mode:   split 66% train, remainder test


=== Classifier model (full training set) ===
J48 pruned tree
-----
petalwidth <= 0.6: Iris-setosa (50.0)
petalwidth > 0.6
|  petalwidth <= 1.7
|  |  petallength <= 4.9: Iris-versicolor (48.0/1.0)
|  |  petallength > 4.9
|  |  |  petalwidth <= 1.5: Iris-virginica (3.0)
|  |  |  petalwidth > 1.5: Iris-versicolor (3.0/1.0)
|  |  petalwidth > 1.7: Iris-virginica (46.0/1.0)
Number of Leaves :      5
```

Status

OK

Log  x 0





Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

Choose **J48 -C 0.25 -M 2**

Test options

- Use training set
 - Supplied test set
 - Cross-validation Folds
 - Percentage split %
-

(Nom) class

Result list (right-click for options)

11:49:05 - trees.j48.J48

Classifier output

Time taken to build model: 0.24 seconds

=== Evaluation on test split ===
=== Summary ===

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	

=== Detailed Accuracy By Class ===

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.063	0.905	1	0.95	Iris-versicolor
0.882	0	1	0.882	0.938	Iris-virginica

=== Confusion Matrix ===

a	b	c	<-- classified as
15	0	0	a = Iris-setosa
0	19	0	b = Iris-versicolor
0	2	15	c = Iris-virginica

Status

OK

x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier


Choose

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

(Nom) class

Result list (right-click for options)

11:49:05 - trees.j48.J48 

Classifier output

Time taken to build model: 0.24 seconds

=== Evaluation on test split ===
 === Summary ===

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	


=== Detailed Accuracy By Class ===

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.063	0.905	1	0.95	Iris-versicolor
0.882	0	1	0.882	0.938	Iris-virginica

=== Confusion Matrix ===

a	b	c	<-- classified as
15	0	0	a = Iris-setosa
0	19	0	b = Iris-versicolor
0	2	15	c = Iris-virginica

Status

OK  x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose

Test options

Use training set

Supplied test set

Cross-validation Folds

Percentage split %

Result list (right-click for options)

11:49:05 - trees.j48.j48

Classifier output

Time taken to build model: 0.24 seconds

=== Evaluation on test split ===

=== Summary ===

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	

=== Detailed Accuracy By Class ===

	Recall	F-Measure	Class
	1	1	Iris-setosa
	1	0.95	Iris-versicolor
	0.882	0.938	Iris-virginica

Status

OK

- View in main window
- View in separate window
- Save result buffer
- Load model
- Save model
- Re-evaluate model on current test set
- Visualize classifier errors
- Visualize tree**
- Visualize margin curve
- Visualize threshold curve
- Visualize cost curve

x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose J48 -C 0.25 -M 2

Test options:

- Use training set
- Supplied test set
- Cross-validation
- Percentage split

 More options

(Nom) class

Start

Result list (right-click for details): 11:49:05 - trees.j48.J48

Weka Classifier Tree Visualizer: 11:49:05 - trees.j48.J48 (iris)

Tree View

```

    graph TD
      A(petalwidth) -- "<= 0.6" --> B(Iris-setosa (50.0))
      A -- "> 0.6" --> C(petalwidth)
      C -- "<= 1.7" --> D(petallength)
      C -- "> 1.7" --> E(Iris-virginica (46.0/1.0))
      D -- "<= 4.9" --> F(Iris-versicolor (48.0/1.0))
      D -- "> 4.9" --> G(petalwidth)
      G -- "<= 1.5" --> H(Iris-virginica (3.0))
      G -- "> 1.5" --> I(Iris-versicolor (3.0/1.0))
  
```

96.0784 %
3.9216 %

100
.s-setosa
.s-versicolor
.s-virginica

0 19 0 | b = Iris-versicolor
0 2 15 | c = Iris-virginica

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose

Test options

Use training set

Supplied test set

Cross-validation Folds

Percentage split %

Result list (right-click for options)

Classifier output

Time taken to build model: 0.24 seconds

=== Evaluation on test split ===

=== Summary ===

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	

=== Detailed Accuracy By Class ===

	Recall	F-Measure	Class
	1	1	Iris-setosa
	1	0.95	Iris-versicolor
	0.882	0.938	Iris-virginica

Status

OK

-
-
-
-
-
-
-
-
-
-
-

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose **J48 -C 0.25 -M 2**

Test options

Use training set
 Supplied test set
 Cross-validation
 Percentage split

X: petallength (Num) Y: petalwidth (Num)

Colour: class (Nom) Select Instance

Reset Clear Save Jitter

More options

(Nom) class

Start

Result list (right-click for context menu)

11:49:05 - trees.J48.J

Weka Classifier Visualize: 11:49:05 - trees.J48.J48 (iris)

Plot: iris_predicted

Class colour

Iris-setosa Iris-versicolor Iris-virginica

0 2 15 | c = Iris-virginica

96.0784 %
3.9216 %

iris
.s-setosa
.s-versicolor
.s-virginica

Status

OK

Log x 0



Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

Choose **J48 -C 0.25 -M 2**

Test options

- Use training set
 - Supplied test set
 - Cross-validation Folds
 - Percentage split %
-

(Nom) class

Result list (right-click for options)

11:49:05 - trees.j48.J48

Classifier output

Time taken to build model: 0.24 seconds

=== Evaluation on test split ===
 === Summary ===

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	

=== Detailed Accuracy By Class ===

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.063	0.905	1	0.95	Iris-versicolor
0.882	0	1	0.882	0.938	Iris-virginica


=== Confusion Matrix ===

a	b	c	<-- classified as
15	0	0	a = Iris-setosa
0	19	0	b = Iris-versicolor
0	2	15	c = Iris-virginica

Status

OK

x 0



Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

- weka
 - classifiers
 - bayes
 - functions
 - LeastMedSq
 - LinearRegression
 - Logistic
 - neural
 - NeuralNetwork**
 - pace
 - supportVector
 - SimpleLinearRegression
 - SimpleLogistic
 - VotedPerceptron
 - Winnow
 - lazy
 - meta
 - misc
 - trees
 - rules

output

```

Time taken to build model: 0.24 seconds

Evaluation on test split ===
Summary ===

Number of Classified Instances      49      96.0784 %
Number of Unclassified Instances    2       3.9216 %
Kappa Statistic                    0.9408
Mean Absolute Error                 0.0396
Mean Squared Error                 0.1579
Mean Absolute Error                 8.8979 %
Mean Relative Squared Error        33.4091 %
Number of Instances                 51

Detailed Accuracy By Class ===


      FP Rate  Precision  Recall  F-Measure  Class
      -----  -
      0         1         1         1          Iris-setosa
      0.063    0.905    1         0.95       Iris-versicolor
      0         1         0.882    0.938      Iris-virginica


Confusion Matrix ===

      a b c <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

Status
OK

Log  x 0



Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose NeuralNetwork -L 0.3 -M 0.2 -N 500 -V 0 -S 0 -E 20 -H a

Test options

- Use training set
- Supplied test set Set...
- Cross-validation Folds 10
- Percentage split % 66

More options...

(Nom) class

Start Stop

Result list (right-click for options)

11:49:05 - trees.j48.J48

Classifier output

--- Evaluation on test split ---
--- Summary ---

Correctly Classified Instances	49	96.0784 %
Incorrectly Classified Instances	2	3.9216 %
Kappa statistic	0.9408	
Mean absolute error	0.0396	
Root mean squared error	0.1579	
Relative absolute error	8.8979 %	
Root relative squared error	33.4091 %	
Total Number of Instances	51	

--- Detailed Accuracy By Class ---


TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.063	0.905	1	0.95	Iris-versicolor
0.882	0	1	0.882	0.938	Iris-virginica

--- Confusion Matrix ---

a	b	c	<-- classified as
15	0	0	a = Iris-setosa
0	19	0	b = Iris-versicolor
0	2	15	c = Iris-virginica

Status: OK

Log x 0



Controls

Start

Epoch 0

Num Of Epochs 500


Accept

Error per Epoch = 0

Learning Rate = 0.3

Momentum = 0.2

building model on training data...




Controls

Epoch 0
 Num Of Epochs
Error per Epoch = 0

Learning Rate =
Momentum =

building model on training data...



Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

Result list (right-click for options)

11:49:05 - trees.j48.J48

14:34:28 - functions.neural.NeuralNetwork

Classifier output

```

=== Evaluation on test split ===
=== Summary ===

Correctly Classified Instances          50           98.0392 %
Incorrectly Classified Instances         1           1.9608 %
Kappa statistic                        0.9704
Mean absolute error                    0.0239
Root mean squared error                0.1101
Relative absolute error                 5.3594 %
Root relative squared error            23.2952 %
Total Number of Instances              51

=== Detailed Accuracy By Class ===

TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1         0         1          1         1          Iris-setosa
1         0.031    0.95      1         0.974     Iris-versicolor
0.941    0         1          0.941   0.97      Iris-virginica

=== Confusion Matrix ===

 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  1 16 | c = Iris-virginica

```

Status

OK x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose **NeuralNetwork -L 0.3 -M 0.2 -N 500 -V 0 -S 0 -E 20 -H a -G -R**

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      50      98.0392 %
Incorrectly Classified Instances    1       1.9608 %
Kappa statistic                    0.9704
Mean absolute error                 0.0239
Root mean squared error            0.1101
Relative absolute error             5.3594 %
Root relative squared error        23.2952 %
Total Number of Instances         51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1        1          Iris-setosa
1        0.031   0.95      1        0.974     Iris-versicolor
0.941    0        1          0.941   0.97      Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  1 16 | c = Iris-virginica

```


Result list (right-click for options)

11:49:05 - trees.j48.J48

14:34:28 - functions.neural.NeuralNetwork

Status

OK

 x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

- weka
 - classifiers
 - bayes
 - AODE
 - BayesNetK2
 - BayesNetB
 - NaiveBayes**
 - NaiveBayesMultinomial
 - NaiveBayesSimple
 - NaiveBayesUpdateable
 - functions
 - lazy
 - meta
 - misc
 - trees
 - rules

Classifier output

```

== Evaluation on test split ==
== Summary ==
Correctly Classified Instances      50      98.0392 %
Incorrectly Classified Instances    1      1.9608 %
Kappa statistic                    0.9704
Mean absolute error                 0.0239
Root mean squared error             0.1101
Relative absolute error             5.3594 %
Root relative squared error        23.2952 %
Total Number of Instances          51

== Detailed Accuracy By Class ==

```

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.031	0.95	1	0.974	Iris-versicolor
0.941	0	1	0.941	0.97	Iris-virginica


```

== Confusion Matrix ==

a b c <-- classified as
15 0 0 | a = Iris-setosa
0 19 0 | b = Iris-versicolor
0 1 16 | c = Iris-virginica

```

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Log  x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose **NaiveBayes**

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

(Nom) class

Result list (right-click for options)

11:49:05 - trees.j48.J48
 14:34:28 - functions.neural.NeuralNetwork


Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      50      98.0392 %
Incorrectly Classified Instances    1      1.9608 %
Kappa statistic                    0.9704
Mean absolute error                 0.0239
Root mean squared error             0.1101
Relative absolute error             5.3594 %
Root relative squared error         23.2952 %
Total Number of Instances          51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1        1          Iris-setosa
1        0.031    0.95      1        0.974     Iris-versicolor
0.941    0        1          0.941   0.97      Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  1 16 | c = Iris-virginica
  
```

 x 0

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose **NaiveBayes**

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

(Nom) class

Result list (right-click for options)

11:49:05 - trees.j48.J48
 14:34:28 - functions.neural.NeuralNetwork


Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      50      98.0392 %
Incorrectly Classified Instances    1      1.9608 %
Kappa statistic                    0.9704
Mean absolute error                 0.0239
Root mean squared error             0.1101
Relative absolute error             5.3594 %
Root relative squared error        23.2952 %
Total Number of Instances          51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1        1          Iris-setosa
1        0.031   0.95       1        0.974     Iris-versicolor
0.941    0        1          0.941   0.97      Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  1 16 | c = Iris-virginica
  
```

 x 0

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose NaiveBayes

Test options

Use training set

Supplied test set Set...

Cross-validation Folds 10

Percentage split % 66

More options...

(Nom) class :

Start Stop

Result list (right-click for options)

11:49:05 - trees.J48.J48

14:34:28 - functions.neural.NeuralNetwork

14:48:05 - bayes.NaiveBayes

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      48      94.1176 %
Incorrectly Classified Instances    3       5.8824 %
Kappa statistic                     0.9113
Mean absolute error                  0.0447
Root mean squared error              0.1722
Relative absolute error              10.0365 %
Root relative squared error          36.4196 %
Total Number of Instances           51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1       1          Iris-setosa
0.947    0.063    0.9       0.947   0.923     Iris-versicolor
0.882    0.029    0.938    0.882   0.909     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 18  1 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

Status

OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose NaiveBayes

Test options

Use training set

Supplied test set Set...

Cross-validation Folds 10

Percentage split % 66

More options...

(Nom) class

Start Stop

Result list (right-click for options)

- 11:49:05 - trees.J48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes**

Classifier output

=== Evaluation on test split ===

=== Summary ===

Correctly Classified Instances	48	94.1176 %
Incorrectly Classified Instances	3	5.8824 %
Kappa statistic	0.9113	
Mean absolute error	0.0447	
Root mean squared error	0.1722	
Relative absolute error	10.0365 %	
Root relative squared error	36.4196 %	
Total Number of Instances	51	

=== Detailed Accuracy By Class ===

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
0.947	0.063	0.9	0.947	0.923	Iris-versicolor
0.882	0.029	0.938	0.882	0.909	Iris-virginica

=== Confusion Matrix ===

a	b	c	<-- classified as
15	0	0	a = Iris-setosa
0	18	1	b = Iris-versicolor
0	2	15	c = Iris-virginica

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose **NaiveBayes**

Test options

Use training set

Supplied test set Set...

Cross-validation Folds 10

Percentage split % 66

More options...

(Nom) class

Start

Result list (right-click for context menu)

- 11:49:05 - trees.j48.J
- 14:34:28 - functions.
- 14:48:05 - bayes.NaiveBayes

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      48      94.1176 %
Incorrectly Classified Instances    3       5.8824 %
Kappa statistic                    0.9113
Mean absolute error                 0.0447
Root mean squared error             0.1722
Relative absolute error             10.0365 %
Root relative squared error         36.4196 %
Total Number of Instances          51

=== Detailed Accuracy By Class ===

```

	Precision	Recall	F-Measure	Class
	1	1	1	Iris-setosa
	0.9	0.947	0.923	Iris-versicolor
	0.938	0.882	0.909	Iris-virginica

x ===

```

classified as
Iris-setosa
Iris-versicolor
Iris-virginica

```

- View in main window
- View in separate window
- Save result buffer
- Load model
- Save model
- Re-evaluate model on current test set
- Visualize classifier errors
- Visualize tree
- Visualize margin curve
- Visualize threshold curve
- Visualize cost curve

Status

OK

Iris-setosa

Iris-versicolor

Iris-virginica

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: NaiveBayes

Weka Classifier Visualize: ThresholdCurve. Class value Iris-versicolor

Test options:

- Use training set
- Supplied test set
- Cross-validation
- Percentage split

X: False Positive Rate (Num) Y: True Positive Rate (Num)

Colour: Threshold (Num) Select Instance

Jitter

More options: (Nom) class

Result list (right-click for options):

- 11:49:05 - trees.j48.J48
- 14:34:28 - functions.neu
- 14:48:05 - bayes.NaiveBa

Plot: ThresholdCurve

Class colour: 0 0.5 1

Status: OK x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose NaiveBayes

Test options

Use training set
 Supplied test set Set...
 Cross-validation Folds 10
 Percentage split % 66

More options...

(Nom) class :

Start Stop

Result list (right-click for options)

11:49:05 - trees.J48.J48

14:34:28 - functions.neural.NeuralNetwork

14:48:05 - bayes.NaiveBayes

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      48      94.1176 %
Incorrectly Classified Instances    3       5.8824 %
Kappa statistic                     0.9113
Mean absolute error                  0.0447
Root mean squared error              0.1722
Relative absolute error              10.0365 %
Root relative squared error          36.4196 %
Total Number of Instances           51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1         0         1          1       1          Iris-setosa
0.947    0.063    0.9        0.947   0.923     Iris-versicolor
0.882    0.029    0.938     0.882   0.909     Iris-virginica


=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 18  1 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica


```

Status

OK

Log x 0





Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

(Nom) class

Result list (right-click for options)

11:49:05 - trees.J48.J48
 14:34:28 - functions.neural.NeuralNetwork
 14:48:05 - bayes.NaiveBayes

Classifier output


```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      48      94.1176 %
Incorrectly Classified Instances    3       5.8824 %
Kappa statistic                    0.9113
Mean absolute error                 0.0447
Root mean squared error             0.1722
Relative absolute error             10.0365 %
Root relative squared error         36.4196 %
Total Number of Instances          51

=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1       1          Iris-setosa
0.947    0.063    0.9       0.947  0.923     Iris-versicolor
0.882    0.029    0.938    0.882  0.909     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 18  1 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica
  
```

Status
OK

 x 0

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Classifier

Choose

UserClassifier

Test options

Use training set

Supplied test set

Cross-validation

Percentage split

More options

(Nom) class

Start

Result list (right-click for options)

11:49:05 - trees.j48.J48

14:34:28 - functions.neu

14:48:05 - bayes.NaiveBa

15:26:57 - trees.UserClas

Tree Visualizer

Data Visualizer

Tree View

```
[Iris-setosa, 50.0]
[Iris-versicolor, 50.0]
[Iris-virginica, 50.0]
```

Status

Building model on training data...

Log



x 1

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Classifier

Choose

UserClassifier

Test options

- Use training set
 Supplied test set
 Cross-validation
 Percentage split


More c

(Nom) class

Start

Result list (right-click for

11:49:05 - trees.j48.
 14:34:28 - functions
 14:48:05 - bayes.Na
 15:26:57 - trees.Use



Status

Building model on training data...

Log



x 1

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Classifier

Choose **UserClassifier**

Test options

- Use training set
- Supplied test set
- Cross-validation
- Percentage split


More c...

(Nom) class

Start

Result list (right-click for

- 11:49:05 - trees.j48.
- 14:34:28 - functions
- 14:48:05 - bayes.Na
- 15:26:57 - trees.Use



Status

Building model on training data...

Log



x 1

Classifier

Choose **UserClassifier**

Test options

- Use training set
- Supplied test set
- Cross-validation
- Percentage split


More options

(Nom) class

Start

Result list (right-click for context menu)

- 11:49:05 - trees.j48.J
- 14:34:28 - functions.
- 14:48:05 - bayes.Naïv
- 15:26:57 - trees.User



Status

Building model on training data...

Log



x 1

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose **UserClassifier**

Test options

- Use training set
- Supplied test set
- Cross-validation Folds: 10
- Percentage split %: 66

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      49      96.0784 %
Incorrectly Classified Instances    2       3.9216 %
Kappa statistic                    0.9408
Mean absolute error                 0.0319
Root mean squared error             0.1622
Relative absolute error             7.1634 %
Root relative squared error         34.312 %
Total Number of Instances          51


=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1       1          Iris-setosa
1        0.063   0.905     1       0.95       Iris-versicolor
0.882    0        1          0.882  0.938     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

11:49:05 - trees.j48.J48
14:34:28 - functions.neural.NeuralNetwork
14:48:05 - bayes.NaiveBayes
15:44:32 - trees.UserClassifier

Status: OK

 x 0

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose **UserClassifier**

Test options:

- Use training set
- Supplied test set
- Cross-validation Folds: 10
- Percentage split %: 66

Classifier output:

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      49      96.0784 %
Incorrectly Classified Instances    2       3.9216 %
Kappa statistic                    0.9408
Mean absolute error                 0.0319
Root mean squared error             0.1622
Relative absolute error             7.1634 %
Root relative squared error        34.312 %
Total Number of Instances          51


=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1       1          Iris-setosa
1        0.063   0.905     1       0.95       Iris-versicolor
0.882    0        1          0.882  0.938     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

11:49:05 - trees.j48.J48
14:34:28 - functions.neural.NeuralNetwork
14:48:05 - bayes.NaiveBayes
15:44:32 - trees.UserClassifier

Status: OK

Log  x 0

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose

Test options

Use training set
 Supplied test set
 Cross-validation Folds
 Percentage split %

Attributes

- (Num) sepallength
- (Num) sepalwidth
- (Num) petallength
- (Num) petalwidth
- (Nom) class

Result list (right-click for options)

- 11:49:05 - trees.j48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes
- 15:44:32 - trees.UserClassifier**

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      49      96.0784 %
Incorrectly Classified Instances     2      3.9216 %
Kappa statistic                     0.9408
Mean absolute error                  0.0319
Root mean squared error              0.1622
Relative absolute error              7.1634 %
Root relative squared error         34.312 %
Total Number of Instances           51


=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1         0         1          1         1          Iris-setosa
1         0.063    0.905     1         0.95       Iris-versicolor
0.882    0         1          0.882    0.938     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

Status

OK

 x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose **UserClassifier**

Test options

- Use training set
- Supplied test set
- Cross-validation Folds: 10
- Percentage split %: 66

Classifier output

```

=== Evaluation on test split ===
=== Summary ===
Correctly Classified Instances      49      96.0784 %
Incorrectly Classified Instances     2       3.9216 %
Kappa statistic                     0.9408
Mean absolute error                 0.0319
Root mean squared error             0.1622
Relative absolute error             7.1634 %
Root relative squared error        34.312 %
Total Number of Instances          51


=== Detailed Accuracy By Class ===
TP Rate  FP Rate  Precision  Recall  F-Measure  Class
1        0        1          1        1          Iris-setosa
1        0.063   0.905     1        0.95       Iris-versicolor
0.882    0        1          0.882   0.938     Iris-virginica

=== Confusion Matrix ===
 a  b  c  <-- classified as
15  0  0 | a = Iris-setosa
 0 19  0 | b = Iris-versicolor
 0  2 15 | c = Iris-virginica

```

11:49:05 - trees.j48.J48
14:34:28 - functions.neural.NeuralNetwork
14:48:05 - bayes.NaiveBayes
15:44:32 - trees.UserClassifier

Status: OK

Log  x 0

QuickTime™ and a TIFF (LZW) decompressor are needed to see this picture.

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Classifier

- weka
 - classifiers
 - bayes
 - functions
 - lazy
 - meta
 - misc
 - trees
 - adtree
 - DecisionStump
 - Id3
 - j48
 - lmt
 - m5
 - MSP
 - RandomForest
 - RandomTree
 - REPTree
 - UserClassifier
 - rules

Classifier output

== Evaluation on test split ==

-- Summary --

```

Correctly Classified Instances      49      96.0784 %
Incorrectly Classified Instances    2       3.9216 %
Kappa statistic                    0.9408
Mean absolute error                 0.0319
Root mean squared error             0.1622
Relative absolute error             7.1634 %
Root relative squared error        34.312 %
Total Number of Instances          51

```

== Detailed Accuracy By Class ==

TP Rate	FP Rate	Precision	Recall	F-Measure	Class
1	0	1	1	1	Iris-setosa
1	0.063	0.905	1	0.95	Iris-versicolor
0.882	0	1	0.882	0.938	Iris-virginica

== Confusion Matrix ==

```

a b c <-- classified as
15 0 0 | a = Iris-setosa
0 19 0 | b = Iris-versicolor
0 2 15 | c = Iris-virginica

```

Status

OK

Log

x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose MSP -M 4.0

Test options

- Use training set
- Supplied test set Set...
- Cross-validation Folds 10
- Percentage split % 66

More options...

(Num) petallength

Start Stop

Result list (right-click for options)

- 11:49:05 - trees.j48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes
- 15:44:32 - trees.UserClassifier
- 15:49:03 - trees.m5.M5P**

Classifier output

```
=== Run information ===
Scheme:      weka.classifiers.trees.m5.M5P -M 4.0
Relation:    iris
Instances:   150
Attributes:  5
             sepallength
             sepalwidth
             petallength
             petalwidth
             class
Test mode:   split 66% train, remainder test

=== Classifier model (full training set) ===


M5 pruned model tree:
(using smoothed predictions)


petalwidth <= 0.8 : LM1 (50/10.469%)
petalwidth > 0.8 :
| class=Iris-virginica <= 0.5 : LM2 (50/14.325%)
| class=Iris-virginica > 0.5 : LM3 (50/17.598%)

LM num: 1
Linear Regression Model

petallength =
```

Status: OK

Log  x 0



Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose MSP -M 4.0

Test options

- Use training set
- Supplied test set Set...
- Cross-validation Folds 10
- Percentage split % 66

More options...

(Num) petallength

Start Stop


Result list (right-click for options)


- 11:49:05 - trees.j48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes
- 15:44:32 - trees.UserClassifier
- 15:49:03 - trees.m5.M5P**


Classifier output

```
CLASS=iris-virginica > 0.5 : LMS (50/17.598%)  
  
LM num: 1  
Linear Regression Model  
  
petallength =  
  
0.4957 * petalwidth +  
1.343  
  
LM num: 2  
Linear Regression Model  
  
petallength =  
  
0.4208 * sepallength +  
1.2692 * petalwidth +  
0.0795  
  
LM num: 3  
Linear Regression Model  
  
petallength =  
  
0.7501 * sepallength +  
0.6105  
  
Number of Rules : 3
```

Status: OK

Log  x 0





Weka Knowledge Explorer

- Preprocess
- Classify**
- Cluster
- Associate
- Select attributes
- Visualize

Classifier

Choose MSP -M 4.0

Test options

- Use training set
- Supplied test set Set...
- Cross-validation Folds 10
- Percentage split % 66

More options...

(Num) petallength

Start Stop

Result list (right-click for options)

- 11:49:05 - trees.J48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes
- 15:44:32 - trees.UserClassifier
- 15:49:03 - trees.m5.MSP**

Classifier output

0.4208 * sepallength +
1.2692 * petalwidth +
0.0795
LM num: 3
Linear Regression Model
petallength =
0.7501 * sepallength +
0.6105
Number of Rules : 3
Time taken to build model: 1.31 seconds
=== Evaluation on test split ===
=== Summary ===
Correlation coefficient 0.9889
Mean absolute error 0.1861
Root mean squared error 0.255
Relative absolute error 11.9578 %
Root relative squared error 14.9153 %
Total Number of Instances 51

Status

OK

Log



Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier

Choose MSP -M 4.0

Test options

Use training set

Supplied test set Set...

Cross-validation Folds 10

Percentage split % 66

More options...

(Num) petalength

Start Stop

Result list (right-click for options)

- 11:49:05 - trees.J48.J48
- 14:34:28 - functions.neural.NeuralNetwork
- 14:48:05 - bayes.NaiveBayes
- 15:44:32 - trees.UserClassifier
- 15:49:03 - trees.m5.MSP**

Classifier output

```
0.4208 * sepallength +
1.2692 * petalwidth +
0.0795

LM num: 3
Linear Regression Model

petalength =

0.7501 * sepallength +
0.6105

Number of Rules : 3


Time taken to build model: 1.31 seconds

=== Evaluation on test split ===
=== Summary ===

Correlation coefficient           0.9889
Mean absolute error              0.1861
Root mean squared error          0.255
Relative absolute error          11.9578 %
Root relative squared error      14.9153 %
Total Number of Instances       51
```

Status

OK

Log  x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: **MSP** Weka Classifier Visualize: 15:49:03 - trees.m5.MSP (iris)

Test options: X: sepallength (Num) Y: petalwidth (Num)
 Colour: petallength (Num) Select Instance

Use training
 Supplied test
 Cross-validation
 Percentage split

Reset Clear Save Jitter

Plot: iris_predicted

Result list (right-click):

- 11:49:05 - trees.j
- 14:34:28 - functi
- 14:48:05 - bayes
- 15:44:32 - trees.l
- 15:49:03 - trees.l**

Class colour	89
	61
	5
	78 %
Root relative squared error	14.9153 %
Total Number of Instances	51

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: **MSP** Weka Classifier Visualize: 15:49:03 - trees.m5.MSP (iris)

Test options: X: sepallength (Num) Y: petalwidth (Num)
 Colour: petallength (Num) Select Instance

Use training
 Supplied test
 Cross-validation
 Percentage split

Reset Clear Save Jitter

Plot: iris_predicted

Class colour

1.1	3.75	6.4	89
			61
			5
			78 %

Root relative squared error 14.9153 %
 Total Number of Instances 51

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess **Classify** Cluster Associate Select attributes Visualize

Classifier: Choose MSP Weka Classifier Visualize: 15:49:03 - trees.m5.M5P (iris)

Test options: X: sepallength (Num) Y: Colour: petallength (Num)

Use training
 Supplied test
 Cross-validation
 Percentage split

Reset Clear Save

Plot: iris_predicted

Result list (right-click):

- 11:49:05 - trees.j
- 14:34:28 - functi
- 14:48:05 - bayes
- 15:44:32 - trees.l
- 15:49:03 - trees.l

Root relative
Total Number of

Weka : Instance info

Plot : 15:49:03 - trees.m5.M5P (iris)
Instance: 31

```


Instance_number : 31.0
sepallength : 6.9
sepalwidth : 3.1
predictedpetallength : 5.892812341943582
petallength : 5.1
petalwidth : 2.3
class : Iris-virginica
  
```


Status: OK

Log x 0

Explorer: clustering data

- WEKA contains “clusterers” for finding groups of similar instances in a dataset
- Implemented schemes are:
 - ◆ *k*-Means, EM, Cobweb, *X*-means, FarthestFirst
- Clusters can be visualized and compared to “true” clusters (if given)
- Evaluation based on loglikelihood if clustering scheme produces a probability distribution





Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Clusterer

- weka
 - clusterers
 - EM
 - SimpleKMeans
 - Cobweb
 - FarthestFirst
 - XMeans


77387815


Clusterer output


Status
OK


Log

 x 0









Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Cobweb -A 1.0 -C 0.0028209479177387815

Cluster mode

Use training set

Supplied test set

Percentage split % 66

Classes to clusters evaluation

(Nom) class

Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

Clusterer output

```
==== Run information ====
Scheme:      weka.clusterers.Cobweb -A 1.0 -C 0.002820947917
Relation:    iris
Instances:   150
Attributes:  5
              sepallength
              sepalwidth
              petallength
              petalwidth

Ignored:     class


Test mode:   Classes to clusters evaluation on training data

==== Clustering model (full training set) ====
Number of merges: 0
Number of splits: 0
Number of clusters: 3

node 0 [ 150]
| leaf 1 [ 96]
node 0 [ 150]
| leaf 2 [ 54]

==== Evaluation on training set ====
```

Status: OK

 x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Cobweb -A 1.0 -C 0.0028209479177387815

Cluster mode

Use training set

Supplied test set

Percentage split % 66

Classes to clusters evaluation

(Nom) class

Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

Clusterer output

```
==== Run information ====
Scheme:      weka.clusterers.Cobweb -A 1.0 -C 0.002820947917
Relation:    iris
Instances:   150
Attributes:  5
              sepallength
              sepalwidth
              petallength
              petalwidth

Ignored:     class


Test mode:   Classes to clusters evaluation on training data


==== Clustering model (full training set) ====
Number of merges: 0
Number of splits: 0
Number of clusters: 3

node 0 [ 150]
| leaf 1 [ 96]
node 0 [ 150]
| leaf 2 [ 54]

==== Evaluation on training set ====
```

Status: OK

 x 0



Weka Knowledge Explorer

Preprocess Classify **Cluster** Associate Select attributes Visualize

Clusterer

Choose

Cluster mode

Use training set
 Supplied test set
 Percentage split %
 Classes to clusters evaluation

 Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

Clusterer output

```

Number of clusters: 3
node 0 [ 150]
| leaf 1 [ 96]
node 0 [ 150]
| leaf 2 [ 54]

Clustered Instances
1      100 ( 67%)
2       50 ( 33%)

Class attribute: class
Classes to Clusters:


 1 2 <-- assigned to cluster
 0 50 | Iris-setosa
 50 0 | Iris-versicolor
 50 0 | Iris-virginica

Cluster 1 <-- Iris-versicolor
Cluster 2 <-- Iris-setosa

Incorrectly clustered instances :      50.0      33.3333 %
  
```

Status

OK

 x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer

Choose **Cobweb -A 1.0 -C 0.0028209479177387815**

Cluster mode

Use training set

Supplied test set

Percentage split %

Classes to clusters evaluation

Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

Clusterer output

Number of clusters: 3

node 0 [150]
| leaf 1 [96]
node 0 [150]
| leaf 2 [54]

Clustered Instances

1	100	(67%)
2	50	(33%)

Class attribute: class

Classes to Clusters:


```
1 2 <-- assigned to cluster
0 50 | Iris-setosa
50 0 | Iris-versicolor
50 0 | Iris-virginica
```

Cluster 1 <-- Iris-versicolor
Cluster 2 <-- Iris-setosa

Incorrectly clustered instances : 50.0 33.3333 %

Status

OK

Log  x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Cobweb -A 1.0 -C 0.0028209479177387815

Cluster mode

Use training set

Supplied test set

Percentage split % 66

Classes to clusters evaluation

(Nom) class

Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

- View in main window
- View in separate window
- Save result buffer
- Load model
- Save model
- Re-evaluate model on current test set
- Visualize cluster assignments
- Visualize tree**

Clusterer output

```

==== Run information ====
Scheme:      weka.clusterers.Cobweb -A 1.0 -C 0.002820947917
Relation:    iris
Instances:   150
Attributes:  5
              sepallength
              sepalwidth
              petallength
              petalwidth

Ignored:     class


Test mode:   Classes to clusters evaluation on training data

==== Clustering model (full training set) ====
Number of merges: 0
Number of splits: 0
Number of clusters: 3

training set ====

```

Status: OK

 x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Cobweb -A 1.0 -C 0.0028209479177387815

Cluster mode:

- Use training set
- Supplied test set
- Percentage split
- Classes to cluster

(Nom) class

Store clusters for visualization

Result list (right-click for details):

- 16:05:58 - Cobweb

Clusterer output: Weka Classifier Tree Visualizer: 16:05:58 - Cobweb (Iris)

Tree View

```
graph TD; node0("node 0 (150)") --- leaf1("leaf 1 (96)"); node0 --- leaf2("leaf 2 (54)");
```

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Cobweb -A 1.0 -C 0.0028209479177387815

Cluster mode

Use training set

Supplied test set

Percentage split % 66

Classes to clusters evaluation

(Nom) class

Store clusters for visualization

Result list (right-click for options)

16:05:58 - Cobweb

- View in main window
- View in separate window
- Save result buffer
- Load model
- Save model
- Re-evaluate model on current test set
- Visualize cluster assignments**
- Visualize tree

Clusterer output

```
==== Run information ====
Scheme:      weka.clusterers.Cobweb -A 1.0 -C 0.002820947917
Relation:    iris
Instances:   150
Attributes:  5
              sepallength
              sepalwidth
              petallength
              petalwidth


Ignored:     class

Test mode:   Classes to clusters evaluation on training data

==== Clustering model (full training set) ====
Number of merges: 0
Number of splits: 0
Number of clusters: 3

==== on training set ====
```

Status: OK

 x 0

Weka Knowledge Explorer

Preprocess | Classify | **Cluster** | Associate | Select attributes | Visualize

Clusterer: Choose **Cobweb -A 1.0 -C 0.0028209479177387815**

Weka Clusterer Visualize: 16:05:58 - Cobweb (Iris)

Cluster mode:

- Use training set: X: petallength (Num) | Y: petalwidth (Num)
- Supplied test set: Colour: Cluster (Nom) | Select Instance
- Percentage split
- Classes to cluster: (Nom) class

Reset Clear Save Jitter

Store clusters for visualization

Log Start

Result list (right-click for details): 16:05:58 - Cobweb

Plot: iris_clustered

Class colour

cluster0 cluster1 cluster2

==== Evaluation on training set ====

Progress bar

Status: OK

Log x 0

Explorer: finding associations

- WEKA contains an implementation of the Apriori algorithm for learning association rules
 - ◆ Works only with discrete data
- Can identify statistical dependencies between groups of attributes:
 - ◆ milk, butter \Rightarrow bread, eggs (with confidence 0.9 and support 2000)
- Apriori can compute all rules that have a given minimum support and exceed a given confidence



Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate**
- Select attributes
- Visualize


Associator
 `Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0`

Result list (right-click for options)

Associator output

Status
OK

 x 0



Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose None Apply

Current relation
 Relation: vote
 Instances: 435 Attributes: 17

Selected attribute
 Name: handicapped-infants Type: Nominal
 Missing: 12 (3%) Distinct: 2 Unique: 0 (0%)

	Label	Count
n		236
y		187

Colour: Class (Nom) Visualize All

Attributes

No.	Name
1	handicapped-infants
2	water-project-cost-sharing
3	adoption-of-the-budget-resolution
4	physician-fee-freeze
5	el-salvador-aid
6	religious-groups-in-schools
7	anti-satellite-test-ban
8	aid-to-nicaraguan-contras
9	mx-missile
10	immigration
11	synfuels-corporation-cutback
12	education-spending
13	superfund-right-to-sue
14	crime
15	duty-free-exports
16	export-administration-act-south-africa
17	Class

Status: OK

Log x 0

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | **Select attributes** | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose None Apply


Current relation: Relation: vote, Instances: 435, Attributes: 17

Selected attribute: Name: handicapped-infants, Type: Nominal, Missing: 12 (3%), Distinct: 2, Unique: 0 (0%)

Label	Count
n	236
y	187

Colour: Class (Nom) Visualize All

Status: OK Log x 0





Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate**
- Select attributes
- Visualize


Associator
 `Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0`

Result list (right-click for options)

Associator output

Status
OK

 x 0





Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate**
- Select attributes
- Visualize

Associator

Choose Apriori -N 10 -T 0 -C 0.9 -D 0.05 -U 1.0 -M 0.1 -S -1.0

Start **Stop**

Result list (right-click for options)

- 16:29:37 - Apriori**

Associator output

```

Minimum metric <confidence>: 0.9
Number of cycles performed: 11

Generated sets of large itemsets:

Size of set of large itemsets L(1): 20
Size of set of large itemsets L(2): 17
Size of set of large itemsets L(3): 6
Size of set of large itemsets L(4): 1

Best rules found:

1. adoption-of-the-budget-resolution=y physician-fee-freeze=n 219 ==> Class=democrat 210
2. adoption-of-the-budget-resolution=y physician-fee-freeze=n aid-to-nicaraguan-contras=y 210 ==> Class=democrat 210
3. physician-fee-freeze=n aid-to-nicaraguan-contras=y 211 ==> Class=democrat 210
4. physician-fee-freeze=n education-spending=n 202 ==> Class=democrat 201 conf:(0.99)
5. physician-fee-freeze=n 247 ==> Class=democrat 245 conf:(0.99)
6. el-salvador-aid=n Class=democrat 200 ==> aid-to-nicaraguan-contras=y 197 conf:(0.99)
7. el-salvador-aid=n 208 ==> aid-to-nicaraguan-contras=y 204 conf:(0.98)
8. adoption-of-the-budget-resolution=y aid-to-nicaraguan-contras=y Class=democrat 200
9. el-salvador-aid=n aid-to-nicaraguan-contras=y 204 ==> Class=democrat 197 conf:(0.99)
10. aid-to-nicaraguan-contras=y Class=democrat 218 ==> physician-fee-freeze=n 210

```

Status

OK

Log



Explorer: attribute selection

- Panel that can be used to investigate which (subsets of) attributes are the most predictive ones
- Attribute selection methods contain two parts:
 - ◆ A search method: best-first, forward selection, random, exhaustive, genetic algorithm, ranking
 - ◆ An evaluation method: correlation-based, wrapper, information gain, chi-squared, ...
- Very flexible: WEKA allows (almost) arbitrary combinations of these two



Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate
- Select attributes**
- Visualize

Attribute Evaluator

CfsSubsetEval

Search Method

BestFirst -D 1 -N 5

Attribute Selection Mode

Use full training set

Cross-validation
Folds: 10
Seed: 1

(Nom) Class

Attribute selection output

[Empty output area]


Result list (right-click for options)

[Empty result list area]

Status

OK







Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate
- Select attributes**
- Visualize

Attribute Evaluator

Choose **CfsSubsetEval**

Search Method

Choose **BestFirst -D 1 -N 5**

Attribute Selection Mode

Use full training set

Cross-validation Folds: 10
Seed: 1

(Nom) Class

Start Stop

Result list (right-click for options)

16:39:40 - BestFirst + CfsSubsetEval

Attribute selection output

```

    duty-free-exports
    export-administration-act-south-africa
    Class
Evaluation mode:  evaluate on all training data

--- Attribute Selection on all input data ---

Search Method:
  Best first.
  Start set: no attributes
  Search direction: forward
  Stale search after 5 node expansions
  Total number of subsets evaluated: 83
  Merit of best subset found: 0.729

Attribute Subset Evaluator (supervised, Class (nominal): 17 Class):
  CFS Subset Evaluator

Selected attributes: 4 : 1
                    physician-fee-freeze
  
```

Status

OK

Log



Weka Knowledge Explorer

Preprocess Classify Cluster Associate **Select attributes** Visualize

Attribute Evaluator
Choose CfsSubsetEval

Search Method
Choose BestFirst -D 1 -N 5

Attribute Selection Mode
 Use full training set
 Cross-validation Folds 10
Seed 1

(Nom) Class

Start Stop

Result list (right-click for options)
16:39:40 - BestFirst + CfsSubsetEval

Attribute selection output

```

    duty-free-exports
    export-administration-act-south-africa
    Class
Evaluation mode:  evaluate on all training data


--- Attribute Selection on all input data ---

Search Method:
  Best first.
  Start set: no attributes
  Search direction: forward
  Stale search after 5 node expansions
  Total number of subsets evaluated: 83
  Merit of best subset found: 0.729

Attribute Subset Evaluator (supervised, Class (nominal): 17 Class):
  CFS Subset Evaluator

Selected attributes: 4 : 1
                    physician-fee-freeze
```

Status
OK

Log  x 0

Weka Knowledge Explorer

Preprocess Classify Cluster Associate **Select attributes** Visualize

Attribute Evaluator

- weka
 - attributeSelection
 - CfsSubsetEval
 - ClassifierSubsetEval
 - WrapperSubsetEval
 - ConsistencySubsetEval
 - ReliefFAttributeEval
 - InfoGainAttributeEval**
 - GainRatioAttributeEval
 - SymmetricalUncertAttributeEval
 - OneRAttributeEval
 - ChiSquaredAttributeEval
 - PrincipalComponents
 - SYMAAttributeEval

Attribute selection output

```

    duty-free-exports
    export-administration-act-south-africa
    Class
    Selection mode:    evaluate on all training data


Attribute Selection on all input data ---

Search Method:
  Best first.
  Start set: no attributes
  Search direction: forward
  Stale search after 5 node expansions
  Total number of subsets evaluated: 83
  Merit of best subset found:    0.729

Attribute Subset Evaluator (supervised, Class (nominal): 17 Class):
  CFS Subset Evaluator

Selected attributes: 4 : 1
                    physician-fee-freeze
```

Status
OK

Log  x 0

Preprocess

Classify

Cluster

Associate

Select attributes

Visualize

Attribute Evaluator

Choose

InfoGainAttributeEval

Search Method

weka

attributeSelection

BestFirst

ForwardSelection

RaceSearch

GeneticSearch

RandomSearch

ExhaustiveSearch

Ranker

RankSearch

E308 -N -1

Attribute selection output

```

duty-free-exports
export-administration-act-south-africa
Class

```

```

Evaluation mode: evaluate on all training data

```

```

Attribute Selection on all input data ---

```

Search Method:

```

Best first.
Start set: no attributes
Search direction: forward
Stale search after 5 node expansions
Total number of subsets evaluated: 83
Merit of best subset found: 0.729

```

```

Attribute Subset Evaluator (supervised, Class (nominal): 17 Class):
CFS Subset Evaluator

```

```

Selected attributes: 4 : 1
physician-fee-freeze


```

Status

OK

Log

 x 0





Weka Knowledge Explorer

- Preprocess
- Classify
- Cluster
- Associate
- Select attributes**
- Visualize

Attribute Evaluator
 Choose **InfoGainAttributeEval**

Search Method
 Choose **Ranker -T -1.7976931348623157E308 -N -1**

Attribute Selection Mode
 Use full training set
 Cross-validation
 Folds: 10
 Seed: 1

(Nom) Class

Start Stop

Result list (right-click for options)

- 16:39:40 - BestFirst + CfsSubsetEval
- 16:43:05 - Ranker + InfoGainAttributeEval**

Attribute selection output

Information Gain Ranking Filter

Ranked attributes:

0.7078541	4	physician-fee-freeze
0.4185726	3	adoption-of-the-budget-resolution
0.4028397	5	el-salvador-aid
0.34036	12	education-spending
0.3123121	14	crime
0.3095576	8	aid-to-nicaraguan-contras
0.2856444	9	mx-missile
0.2121705	13	superfund-right-to-sue
0.2013666	15	duty-free-exports
0.1902427	7	anti-satellite-test-ban
0.1404643	6	religious-groups-in-schools
0.1211834	1	handicapped-infants
0.1007458	11	synfuels-corporation-cutback
0.0529956	16	export-administration-act-south-africa
0.0049097	10	immigration
0.0000117	2	water-project-cost-sharing

Selected attributes: 4,3,5,12,14,8,9,13,15,7,6,1,11,16,10,2 : 16

Status

OK

Log x 0

Explorer: data visualization

- Visualization very useful in practice: e.g. helps to determine difficulty of the learning problem
- WEKA can visualize single attributes (1-d) and pairs of attributes (2-d)
 - ◆ To do: rotating 3-d visualizations (Xgobi-style)
- Color-coded class values
- “Jitter” option to deal with nominal attributes (and to detect “hidden” data points)
- “Zoom-in” function

Weka Knowledge Explorer

Preprocess | Classify | Cluster | Associate | Select attributes | Visualize

Open file... | Open URL... | Open DB... | Undo | Save...

Filter: Choose None Apply

Current relation

Relation: Class
Instances: 214 Attributes: 10

Attributes

No.	Name
1	RI
2	Na
3	Mg
4	Al
5	Si
6	K
7	Ca
8	Ba
9	Fe
10	Type


Selected attribute

Name: RI Type: Numeric
Missing: 0 (0%) Distinct: 178 Unique: 145 (68%)

Statistic	Value
Minimum	1.511
Maximum	1.534
Mean	1.518
StdDev	0.003

Colour: Type (Nom) Visualize All

Status: OK Log x 0



Weka Knowledge Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Plot Matrix

	RI	Na	Mg	Al	Si	K
Type						
Fe						

PlotSize: [100]

PointSize: [1]

Jitter:

Update

Select Attributes

Colour: Type (Nom)

SubSample %: 100


Class Colour


```
build wind float build wind non-float vehic wind float vehic wind non-float containers tableware loadlarpa
```

Status

OK

Log x 0







Weka Knowledge Explorer: Visualizing Glass

X: Al (Num) [dropdown]

Y: Ca (Num) [dropdown]

Colour: Type (Nom) [dropdown]

Select Instance [dropdown]



Reset

Clear

Save

Jitter

Plot: Glass



Class colour

build wind float

build wind non-float


vehic wind float

vehic wind non-float

containers

tableware

headlamps





Weka Knowledge Explorer: Visualizing Glass

X: Al (Num)



Y: Ca (Num)



Colour: Type (Nom)



Rectangle





Submit

Clear

Save


Jitter

Plot: Glass



Class colour

```
build wind float build wind non-float vehic wind float vehic wind non-float containers tableware headlarpa
```





Weka Knowledge Explorer: Visualizing Glass



X: Al (Num) [dropdown] Y: Ca (Num) [dropdown]

Colour: Type (Nom) [dropdown] Rectangle [dropdown]

Reset Clear Save

Jitter

Plot: Glass



Class colour

build wind float

build wind non-float




vehic wind float

vehic wind non-float

containers

tableware

headlamps





Weka GUI Chooser

Waikato Environment for Knowledge Analysis




(c) 1999 - 2003
University of Waikato
New Zealand



GUI

Simple CLI Explorer

Experimenter KnowledgeFlow



Performing experiments

- Experimenter makes it easy to compare the performance of different learning schemes
- For classification and regression problems
- Results can be written into file or database
- Evaluation options: cross-validation, learning curve, hold-out
- Can also iterate over different parameter settings
- Significance-testing built in!



Weka Experiment Environment

Setup Run Analyse

Experiment Configuration Mode: Simple Advanced

Open... Save... New

Results Destination
JDBC database | Filename: | Browse...


Experiment Type
Cross-validation
Number of folds:
 Classification Regression

Iteration Control
Number of repetitions:
 Data sets first
 Algorithms first

Datasets
Add new... Delete selected
 Use relative paths

Algorithms
Add new... Delete selected

Notes





Weka Experiment Environment

Setup Run Analyse

Experiment Configuration Mode: Simple Advanced

Open... Save... New

Results Destination

JDBC database URL: jdbc:tdb=experiments.prp

Experiment Type

Cross-validation

Number of folds: 10

Classification Regression

Iteration Control

Number of repetitions: 10

Data sets first
 Algorithms first

Datasets


Use relative paths

/Users/eibe/Documents/datasets/UCI/iris.arff
/Users/eibe/Documents/datasets/UCI/vote.arff
/Users/eibe/Documents/datasets/UCI/glass.arff

Algorithms

J48 -C 0.25 -M 2
NeuralNetwork -L 0.3 -M 0.2 -N 500 -V 0 -S 0 -E 20 -H a
NaiveBayes

Notes





Weka Experiment Environment

Setup Run Analyse

Start

Stop

Log

Status

Not running



Weka Experiment Environment

Setup Run Analyse

Start

Stop

Log

Status

Not running





Weka Experiment Environment

Setup

Run

Analyse

Start


Stop

Log

10:33:04: Started
13:41:15: Finished
13:41:15: There were 0 errors

Status

Not running





Weka Experiment Environment

- Setup
- Run
- Analyse**

Source

No source

File... Database... Experiment

Configure test

Row key fields

Run field

Column key fields

Comparison field


Significance

Test base

Show std. deviations

Test output

Result list





Weka Experiment Environment

Setup Run **Analyse**

Source

Got 900 results

File... Database... Experiment

Configure test

Row key fields

Run field

Column key fields

Comparison field

Significance

Test base

Show std. deviations

Result list

13:44:17 - Available resultsets
13:44:55 - Percent_correct - trees.j48.J48 '-C 0

Test output

Analysing: Percent_correct
Datasets: 3
Resultsets: 3
Confidence: 0.05 (two tailed)
Date: 9/9/03 1:44 PM

Dataset: (1) trees.j4 | (2) funct (3) bayes

Iris	(100)	94.73		96.4		95.53
vote	(100)	96.57		94.71 *		90.02 *
Glass	(100)	67.63		66.78		49.45 *
				(v/ /*)	(0/2/1)	(0/1/2)

Skipped:

Key:

(1) trees.j48.J48 '-C 0.25 -M 2' -217733168393644444
(2) functions.neural.NeuralNetwork '-L 0.3 -M 0.2 -N 500 -V 0 -S 0
(3) bayes.NaiveBayes '' 2029074699749330519





Weka GUI Chooser

Waikato Environment for Knowledge Analysis




(c) 1999 - 2003
University of Waikato
New Zealand



GUI

Simple CLI Explorer

Experimenter KnowledgeFlow





Weka GUI Chooser

Waikato Environment for Knowledge Analysis



(c) 1999 - 2003
University of Waikato
New Zealand



GUI


Simple CLI Explorer


Experimenter KnowledgeFlow



The Knowledge Flow GUI

- New graphical user interface for WEKA
- Java-Beans-based interface for setting up and running machine learning experiments
- Data sources, classifiers, etc. are beans and can be connected graphically
- Data “flows” through components: e.g., “data source” -> “filter” -> “classifier” -> “evaluator”
- Layouts can be saved and loaded again later





Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers **DataSources** ?

ArffLoader CSVLoader C45Loader SerializedInstancesLoader

Knowledge Flow Layout

ArffLoader

Status
Done.

Log

The image shows a screenshot of the Weka KnowledgeFlow Environment. At the top, there is a title bar with the text "Weka KnowledgeFlow Environment" and three window control buttons (red, yellow, green). Below the title bar is a horizontal menu with five tabs: "Evaluation", "Visualization", "DataSinks", "Filters", and "DataSources". The "DataSources" tab is currently selected and highlighted in blue. To the right of the "DataSources" tab is a small green square icon with a white question mark. Below the menu is a horizontal panel containing four data loader components, each represented by a red cube icon with a grey diamond shape on top. The components are labeled from left to right as "ArffLoader", "CSVLoader", "C45Loader", and "SerializedInstancesLoader". Below this panel is a large area titled "Knowledge Flow Layout". This area contains a single data loader component, "ArffLoader", represented by the same red cube icon. The "Knowledge Flow Layout" area has a vertical scrollbar on the right side and a horizontal scrollbar at the bottom. At the bottom of the window, there is a status bar with the text "Status" and "Done." on the left, and a "Log" button on the right.

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

ArffLoader CSVLoader C45Loader SerializedInstancesLoader

Knowledge Flow Layout

ArffLoader

Status
Done.

Log

The image shows the Weka KnowledgeFlow Environment window. At the top, there are five tabs: Evaluation, Visualization, DataSinks, Filters, and Classifiers. The 'DataSources' tab is currently selected and highlighted in blue. Below the tabs, there are four data source components, each represented by a red cube icon with a diamond shape on top. The components are labeled: ArffLoader, CSVLoader, C45Loader, and SerializedInstancesLoader. A red arrow points from the 'DataSinks' tab to the 'C45Loader' component. Below this is the 'Knowledge Flow Layout' area, which is mostly empty, with only one 'ArffLoader' component visible. At the bottom of the window, there is a status bar that says 'Status Done.' and a 'Log' button.

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

ArffLoader

DataVisualizer

Status
Done.

Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

ArffLoader

DataVisualizer

Status
Done.

Log

The image shows the Weka KnowledgeFlow Environment interface. At the top, there are several tabs: Evaluation, Visualization (selected), DataSinks, Filters, Classifiers, and DataSources. Below the tabs is a palette of visualization tools, including DataVisualizer, ScatterPlotMatrix, AttributeSummarizer, TextViewer, GraphViewer, and StripChart. The main area is labeled 'Knowledge Flow Layout' and contains two nodes: 'ArffLoader' (highlighted with a red arrow) and 'DataVisualizer'. The status bar at the bottom shows 'Done.' and a 'Log' button.

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

- Edit
- Delete
- Configure...
- Connections
- dataSet**
- instance
- Actions
- Start loading

DataVisualizer

Status
Done.

Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

ArffLoader

DataVisualizer

Status
Done.

Log

The image shows the Weka KnowledgeFlow Environment interface. At the top, there are several tabs: Evaluation, Visualization (which is selected), DataSinks, Filters, Classifiers, and DataSources. Below these tabs is a toolbar containing icons for DataVisualizer, ScatterPlotMatrix, AttributeSummarizer, TextViewer, GraphViewer, and StripChart. The main workspace, titled 'Knowledge Flow Layout', contains a workflow with two nodes: 'ArffLoader' (a red diamond icon) and 'DataVisualizer' (a grey diamond icon with a scatter plot). A vertical line connects the two nodes. At the bottom, there is a status bar showing 'Status Done.' and a 'Log' button.

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

ArffLoader

dataSet

DataVisualizer

Status
Done.

Log

The image shows the Weka KnowledgeFlow Environment interface. At the top, there are several tabs: Evaluation, Visualization (which is selected), DataSinks, Filters, Classifiers, and DataSources. Below these tabs is a toolbar containing icons for DataVisualizer, ScatterPlotMatrix, AttributeSummarizer, TextViewer, GraphViewer, and StripChart. The main area is titled 'Knowledge Flow Layout' and contains a workflow diagram. The diagram shows a red 'ArffLoader' node connected to a 'DataVisualizer' node by a red arrow labeled 'dataSet'. The status bar at the bottom indicates 'Status Done.' and has a 'Log' button.

Evaluation

Visualization

DataSinks

Filters

Classifiers

DataSources



DataVisualizer



ScatterPlotMatrix




Attribute Summarizer



TextViewer



GraphVisualizer



StripChart

KnowledgeFlow Layout



ffLoader




DataVisualizer


Can continue this

Status

Done.

Log





Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

```
graph LR; DS[dataSet] --> VF[ValidationFoldMaker]; VF -- testSet --> AS[AttributeSelection]; VF -- trainingSet --> SMO[SMO]; AS -- testSet --> SMO; AS -- trainingSet --> SMO; SMO -- batchClassifier --> CPE[ClassifierPerformanceEvaluator]; CPE -- text --> TV[TextViewer]; DV[DataVisualizer]; AS2[AttributeSummarizer]; SPM[ScatterPlotMatrix];
```

ValidationFoldMaker AttributeSelection SMO batchClassifier ClassifierPerformanceEvaluator TextViewer

dataSet testSet trainingSet testSet trainingSet text

Edit Delete Configure... Connections dataSet instance Actions Start loading

DataVisualizer AttributeSummarizer ScatterPlotMatrix

Status Done. Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

```
graph LR; ArffLoader[ArffLoader] --> AttributeSelection[AttributeSelection]; AttributeSelection --> SMO[SMO]; SMO --> ClassifierPerformanceEvaluator[ClassifierPerformanceEvaluator]; ClassifierPerformanceEvaluator --> TextViewer[TextViewer];
```

dataSet

testSet trainingSet

testSet trainingSet

batchClassifier

text

Choose weka.core.converters.ArffLoader

file iris.arff

Open... Save... OK Cancel

DataVisualizer AttributeSummarizer ScatterPlotMatrix

ClassifierPerformanceEvaluator TextViewer

Status Done.

Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

```

graph LR
    DS[dataSet] --> VF[ValidationFoldMaker]
    VF -- testSet --> AS[AttributeSelection]
    VF -- trainingSet --> SP[ScatterPlotMatrix]
    AS -- testSet trainingSet --> SMO[SMO]
    SMO -- batchClassifier --> CPE[ClassifierPerformanceEvaluator]
    CPE -- text --> TV[TextViewer]
    DS --> DV[DataVisualizer]
  
```

Edit
 Delete
 Configure...
 Connections
 dataSet
 instance
 Actions
Start loading

DataVisualizer AttributeSummarizer ScatterPlotMatrix
 ClassifierPerformanceEvaluator TextViewer

Status
Done.

Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

```

graph LR
    Iris[Iris] -- dataSet --> CV[CrossValidationFoldMaker]
    Iris -- dataSet --> DV[DataVisualizer]
    Iris -- dataSet --> AS[AttributeSummarizer]
    Iris -- dataSet --> SP[ScatterPlotMatrix]
    CV -- testSet trainingSet --> ASel[AttributeSelection]
    ASel -- testSet trainingSet --> SMO[SMO]
    SMO -- batchClassifier --> CPE[ClassifierPerformanceEvaluator]
    CPE -- text --> Text[Text]
  
```

iris CrossValidationFoldMaker AttributeSelection SMO DataVisualizer AttributeSummarizer ScatterPlotMatrix ClassifierPerformanceEvaluator

dataSet dataSet dataSet testSet trainingSet testSet trainingSet batchClassifier text

Edit Delete Actions Show results Clear results

Status Done. Log

Weka KnowledgeFlow Environment

Evaluation Visualization DataSinks Filters Classifiers DataSources

DataVisualizer ScatterPlotMatrix AttributeSummarizer TextViewer GraphViewer StripChart

Knowledge Flow Layout

Text Viewer

Resultlist

09:59:02 - SMO

Data

Text

Correctly Classified Instances	144	96	%
Incorrectly Classified Instances	6	4	%
Kappa statistic	0.94		
Mean absolute error	0.2311		
Root mean squared error	0.288		
Relative absolute error	52	%	
Root relative squared error	58.704	%	
Total Number of Instances	150		

Status


Done.

Log

lazy meta



Logistic VotedPerceptron Winnow IB1 IBk KStar LAR LWL AdaBoost.M1 AdditiveRes

Knowledge Flow Layout



Status
Done.

Log





Weka GUI Chooser

Waikato Environment for Knowledge Analysis

(c) 1999 - 2003
University of Waikato
New Zealand



GUI

Simple CLI Explorer

Experimenter KnowledgeFlow



A screenshot of the Weka Experimenter interface. It features a complex layout with various configuration options, including 'Number of Trials', 'Classifier', and 'Options'. The interface is designed for running and comparing different machine learning models.



Conclusion: try it yourself!

- WEKA is available at

<http://www.cs.waikato.ac.nz/ml/weka>

- Also has a list of projects based on WEKA
- WEKA contributors:

Abdelaziz Mahoui, Alexander K. Seewald, Ashraf M. Kibriya, Bernhard Pfahringer , Brent Martin, Peter Flach, Eibe Frank ,Gabi Schmidberger ,Ian H. Witten , J. Lindgren, Janice Boughton, Jason Wells, Len Trigg, Lucio de Souza Coelho, Malcolm Ware, Mark Hall ,Remco Bouckaert , Richard Kirkby, Shane Butler, Shane Legg, Stuart Inglis, Sylvain Roy, Tony Voyle, Xin Xu, Yong Wang, Zhihai Wang