Redundant number systems

Intensive Computation

Annalisa Massini 2017/2018

Redundant number systems

- Conventional radix-r systems use [0, r-1] digit set radix-10 → 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- If the digit set (in radix-r system) contains more than r digits, the system is redundant
 - radix-2 \rightarrow 0, 1, 2 or -1, 0, 1
 - radix-10 \rightarrow 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
 - radix-10 \rightarrow -6, -5,-4, -3, -2, -1, 0, 1, 2, 3, 4, 5
- Redundancy may result from adopting the digit set wider than radix and the number interpretation is conventional
- Redundancy representation of numbers is not unique

Signed-digit numbers

- A radix-r redundant signed-digit number system is based on digit set S = {- β , -(β 1), ..., -1, 0, 1, ..., α }, where $1 \le \alpha, \beta \le r$ -1
- The digit set S contains more than r values → multiple representations for any number in signed digit format → redundant
- A symmetric signed digit has $\alpha = \beta$
- Carry-free addition is an attractive property of redundant signed-digit numbers

Signed digit representation

- In mathematical notation for numbers, signed-digit representation is a positional system with signed digits
- The representation may not be unique
- Signed-digit representation can be used to accomplish fast addition of integers because it can eliminate chains of dependent carries

MODIFIED SIGNED DIGIT REPRESENTATION

A. K. Cherri, M. A. Karim, "Modified-signed digit arithmetic using an efficient symbolic substitution", Appl. Opt. (1988)

- The set of digit is $\{-1,0,1\} = \{\bar{1},0,1\}$
- The representation is not unique:

$$\begin{array}{r}
\bar{1}01\bar{1} = -8 + 2 - 1 = -7 \\
\bar{1}001 = -8 + 1 = -7 \\
\bar{1}11\bar{1} = -8 + 4 - 2 - 1 = -7
\end{array}$$

- The number of possible representation depends on the length of the sequence of digits
- To perform the addition, truth table are used

Truth tables

		First addend			
		-1	0	1	
d	-1	0	1	0	
len		-1	-1	0	
adc	0	1	0	-1	
puo		-1	0	1	
Second addend	1	0	-1	0	
<u>S</u>		0	1	1	

		First addend			
		-1	0	1	
lend	-1	0 -1	-1 0	0	
Second addend	0	-1 0	0	1 0	
Seco	1	0	1	0	

- Three steps are needed to obtain the sum
 - Left table is applied in step 1 and 3
 - Right table is applied in step 2
- Output: sum → lower row complemented sum → upper row

		Firs	First addend				
		-1	-1 0 1				
Р	-	0	1	0			
	1	-1	-1	0			
adc	0	1	0	-1			
bu		-1	0	1			
Second addend	1	0	-1	0			
S		0	1	1			

		First addend				
		-1 0 1				
d	-1	0	-1	0		
len		-1	0	0		
adc	0	-1	0	1		
pu		0	0	0		
Second addend	1	0	1	0		
S		0	0	1		

	1	1	0	1	1	9
	<u>1</u>	1	<u>1</u>	1	0	-10
	0	0	1	0	1	
0	0	1	1	1	0	

		First addend			
		-1	0	1	
d	ı	0	1	0	
len	1	-1	-1	0	
adc	0	1	0	-1	
pu		-1	0	1	
Second addend	1	0	-1	0	
S		0	1	1	

		First addend				
		-1 0 1				
d	-1	0	-1	0		
len		-1	0	0		
adc	0	-1	0	1		
pu		0	0	0		
Second addend	1	0	1	0		
S		0	0	1		

	1	$\overline{1}$	0	1	$\overline{1}$	9
	1	1	1	1	0	-10
	0	0	1	0	1	
0	0	<u>1</u>	1	<u>1</u>	0	
	0	1	0	1	1	
0	0	1	0	0	0	

		First addend			
		-1	1		
0	•	0	1	0	
len	1	-1	-1	0	
adc	0	1	0	-1	
pu		-1	0	1	
Second addend	1	0	-1	0	
S		0	1	1	

		First addend				
		-1	0	1		
d	-1	0	-1	0		
len		-1	0	0		
adc	0	-1	0	1		
pu		0	0	0		
Second addend	1	0	1	0		
S		0	0	1		

	1	1	0	1	<u>-</u> 1	9
	1	1	1	1	0	-10
	0	0	1	0	1	
0	0	<u>1</u>	1	<u>1</u>	0	
	0	1	0	1	1	
0	0	1	0	0	0	
	0	0	0	1	<u>1</u>	1

		First addend				
		-1 0 1				
d	ı	0	1	0		
len	1	-1	-1	0		
adc	0	1	0	-1		
pu		-1	0	1		
Second addend	1	0	-1	0		
S		0	1	1		

		First addend			
		-1	0	1	
d	-1	0	-1	0	
len		-1	0	0	
adc	0	-1	0	1	
Second addend		0	0	0	
eco	1	0	1	0	
S		0	0	1	

RB - REDUNDANT BINARY NUMBER REPRESENTATION

G. A. De Biase, A. Massini "Redundant binary number representation for an inherently parallel arithmetic on optical computers", Appl. Opt., 32 (1993)

An integer D obtained by

$$D = \sum_{i=0}^{n-1} a_i 2^{i - \lceil i/2 \rceil}$$

 This weight sequence characterizes the RB number representation and is:

 All position weights are doubled: the left digit is called r (redundant) and the right digit n (normal)

 RB representation of a number can be obtained from its binary representation by the following recoding rules:

$$0 \rightarrow 00$$

$$1 \rightarrow 01$$

The RB number obtained in this way is in canonical form

 This coding operation is performable in parallel in constant time (one elemental logic step)

 Each RB number has a canonical form and several redundant representations

Examples of unsigned RB numbers (canonical and redundant)

```
000000
000
    000001
            000010
    000100
            001000
                     000011
010
             001001
    000101
                     001010
            100000
                     001100
100
    010000
                             000111
                             100010
            010010
                     100001
1()1
    010001
                     101000
            011000
                             010011
```

Table for addition

Truth table

	00	01	10	11
00	00	10	00	10
	00	00	01	01
01	00	10	00	10
	01	01	10	10
10	00	10	00	10
	01	01	10	10
11	00	10	00	10
	10	10	11	11

Table for addition

- Two steps: parallel application of the table 2 on all rn pairs
- Output: sum on the lower row and zero on the upper row

	00	01	10	11
00	00	10	00	10
	00	00	01	01
01	00	10	00	10
	01	01	10	10
10	00	10	00	10
	01	01	10	10
11	00	10	00	10
	10	10	11	11

Example

• Example

0 0 0 1 0 1 1 1 8

0 0 1 1 0 1 10

0 0 1 0 1 0 1 0

0 1 0 0 1 1 0 0

	00	01	10	11
00	00	10	00	10
	00	00	01	01
01	00	10	00	10
	01	01	10	10
10	00	10	00	10
	01	01	10	10
11	00	10	00	10
	10	10	11	11

	• Exa	ample	9		
0	0	0 1	0 1	1 1	8
0	0	1 1	0 1	1 0	11
0	0	1 0	1 0	1 0	7
0	1	0 0	1 1	0 0	<i>12</i>
0	0	0 0	0 0	0 0	0
1	0	1 1	1 0	1 0	19

	00	01	10	11
00	00	10	00	10
	00	00	01	01
01	00	10	00	10
	01	01	10	10
10	00	10	00	10
	01	01	10	10
11	00	10	00	10
	10	10	11	11

In analogy with the 2's complement binary system, a signed RB number is obtained by

$$D = -\sum_{i=n-2}^{n-1} a_i 2^{i-\lceil i/2 \rceil} + \sum_{i=0}^{n-3} a_i 2^{i-\lceil i/2 \rceil}$$
n even

 The same procedure of the addition of two unsigned RB numbers obtains the algebraic sum of two signed RB numbers

• The additive inverse of an RB number is obtained by following a procedure similar to that used in the 2's complement number system, taking into account that the negation of all RB representations of the number 0 is $(-2)_{10}$ whereas in the 2's complement binary system it is $(-1)_{10}$

Procedure

- Step 1 all digits of the RB number are complemented
- Step 2 algebraic sum between the RB canonical form of (2) $_{10}$ and the RB number
- The output is the additive inverse of the considered RB number

 The decoding of RB numbers, with the correct truncation, can be performed with the following procedure that derives directly from the RB number definition

Procedure

- The input is RBn and RBr
- Binary addition RB + RBr.
- Only the first n/2 bits are considered
- The output is the corresponding binary or 2's complement binary number

- Zero and Its Detection
- In the case of unsigned RB numbers the $(0)_{10}$ has only the RB canonical form and is easily detectable
- In the case of signed RB numbers, $(0)_{10}$ has many RB representations
- Example for six-digit signed RB numbers:

```
(000000) (101011) (101100)
(100111) (010111) (011100)
```

• This difficulty can be overcome by using the number (- 1) $_{10}$ instead of (0) $_{10}$

- Zero and Its Detection
- In fact, any redundant representation of the number (- 1) $_{10}$ obtains the canonical representation of the (- 1) $_{10}$ if the following rules acting on rn pairs are applied

$$01 \rightarrow 01$$
 $10 \rightarrow 01$

• Then, if the result of an algebraic sum between an RB number and an RB representation of $(-1)_{10}$ is an RB representation of the number $(-1)_{10}$ again, this RB number is a representation of $(0)_{10}$

- Zero and Its Detection
- Then the procedure to detect the number (0) $_{10}$ is:

Procedure

- Input an RB number
- Step 1 algebraic sum between the RB canonical form of (- 1) $_{10}$ and the RB number
- Step 2 application of rules to the result
- Output is the RB canonical form of $(-1)_{10}$ or of another RB number