

# COEVOLUTION



"Thus I can understand how a flower and a bee might slowly become, either simultaneously or one after the other, modified and adapted to each other in the most perfect manner, by the continued preservation of all the individuals which presented slight deviations of structure mutually favourable to each other."

- Charles Darwin, The Origin of Species



#### MOTIVATION

#### Different systems "coevolve"

- hosts and their parasites or pathogens
- whole organisms and their genes
- din. Odej geographical areas and the species which inhabit them
- cultural traditions and populations



#### THE INGREDIENTS





'adapted from Penn, Dustin J(Apr 2001) Coevolution: Host-Parasite. In: eLS. John Wiley & Sons Ltd, Chichester. http://www.els.net

## **RECONCILIATIONS** (1)

Very informally, a reconciliation is a mapping from the nodes of the parasite tree *P* to the nodes of the host tree *H* such that the leaf mapping function *f* is respected.





## **RECONCILIATIONS** (2)





## **CO-PHYLOGENY RECONSTRUCTION PROBLEM (1)**

- Determine reconciliations, given *H*, *P* and *f*
- Optimality of the solution: assigns a cost to each of the four types of events and then minimizes the total cost (Parsimony principle).
- Aim: generating all the optimal reconciliations



## **CO-PHYLOGENY RECONSTRUCTION PROBLEM** (2)



Wednesday, March 26, 14

Time consistency



## **CO-PHYLOGENY RECONSTRUCTION PROBLEM (3)**

- The number of optimal reconciliations increases rapidly even for small trees (exponential *in the size of the trees).*
- The size of the trees can be large.

• Many papers and tools trying to solve this issue



## **OUR PROBLEMS**

Biologists want to see all possible reconciliations, in order to understand which ones are biologically feasible and which ones are not.

Either reduce the cardinality of or cluster the set of optimal reconciliations

Visualize a given reconciliation in a "nice and clear" way



## "SIMILAR" RECONCILIATIONS (1)

• Almost nothing in the literature:

- similarity by event vectors
- Similarity as the smallest number of operations needed to change one reconciliation into another





## **"SIMILAR" RECONCILIATIONS (2)**

[Gastaldello, C., Sagot '19]

We introduced a new notion of metric to measure similarity between reconciliations:

- take into account host-switches
- *R*' and *R*" are the same reconciliation iff they have the same host-switches



#### **"SIMILAR" RECONCILIATIONS (3)**



## "SIMILAR" RECONCILIATIONS (4)

Dataset	# solutions	$\#\sim_1$
GL	2	2
RH	2208	368
FD	408	180
COG2085	37568	3200
COG3715	9	7
COG4964	36	4
COG4965	640	576
PP	72	72
SFC	40	16
EC	18	18
PMP	2	2
PML	2	2
Wolbachia	$\sim 1.01\cdot 10^{47}$	$\sim 3.77\cdot 10^{44}$

With a cost vector promoting co-speciation and discouraging host-switch: (0,1,2,1)



## **CLUSTERING RECONCILIATIONS**

More open questions than solutions:

- We would like to exploit the similarity with the Hypercube, but the set of all the reconciliations represent only a subset of the nodes of the hypercube
- Do the connected components have any biological meaning? apparently no...
- How to choose the cluster head?
- Is the cluster head really representative?



## FURTHER PROBLEMS

**PROBLEM 1.** Reconciliation comparison:

o new metrics

exact and approximate algorithms

More realistic models:

- PROBLEM 2. deal with errors in phylogenetic trees (here the phylogenetic trees have been assumed to be correct, which may be not the case...)
- PROBLEM 3. *f* is not a function: multiple hosts multiple parasites (a single parasite can infect more than one host...)
- PROBLEM 4. handle unrooted trees (many phylogenetic tree reconstruction algorithms produce unrooted trees; the outgroup method has the problem of the availability of a proper outgroup)

## **VISUALIZING RECONCILIATIONS (1)**

[C. Di Donato, Mariottini, Patrignani '20]

- Given H, P, φ and a reconciliation R, we have to draw H and P (on H) to highlight φ and R in a nice and clear way
- Three main strategies:
  - 1. representing two paired trees
  - 2. parasites are drawn inside their hosts
  - 3. host tree is made of pipes and parasites are drawn into the pipes



#### **VISUALIZING RECONCILIATIONS (2)**

Example of the 1<sup>st</sup> strategy:ORe-PA







## **VISUALIZING RECONCILIATIONS (3)**



#### **VISUALIZING RECONCILIATIONS (4)**

Example of the 2<sup>nd</sup> strategy:OphyTrees



20



#### **VISUALIZING RECONCILIATIONS (5)**

Example of the 2<sup>nd</sup>/3<sup>rd</sup> strategy:
Primetv







## **VISUALIZING RECONCILIATIONS (6)**

Example of the 3<sup>rd</sup> strategy:

o SylvX







#### NEW METAPHOR: HP-DRAWINGS (1)





#### NEW METAPHOR: HP-DRAWINGS (2)





#### NEW METAPHOR: HP-DRAWINGS (3)





## **EVOLUTIONARY PHENOMENA (1)**



- Loss:
  - a parasite is transmitted to one child but not to the other child

## **EVOLUTIONARY PHENOMENA (2)**



#### • Duplication:

• both the children of a node go down in the same "direction"



## **EVOLUTIONARY PHENOMENA (3)**



• Host switch:

 a parasite is transmitted to a host that is not a descendant of the current one



## **OPTIMIZATIONS** (1)

- Given *H*, *P*, *f* and a reconciliation *R*, we would like to:
  - 1. minimize the **crossing number** (not always possible to avoid crossings)





## **OPTIMIZATIONS** (2)

- Given *H*, *P*,*f* and a reconciliation *R*, we would like to:
  - keep the mental map passing from a reconciliation to another one (not so in CophyTrees)





Note: Our model makes easier to understand what happens and keep the mental map, while trying to minimize the crossing number.





## PLANAR INSTANCES

• Given *H*, *P*,*f*, construct the associated tanglegram:

- Theorem: Every reconciliation on *H*, *P*,*f* admits a planar representation iff the associated tanglegram is planar.
- So, we speak about planar and not planar instances.
- Theorem: deciding whether a time-consistent reconciliation γ admits a drawing with at most k crossings is NP-complete.



#### AN EXAMPLE



34

## FURTHER PROBLEMS

#### PROBLEM 5.

- Test the tool:
  - Do biologists like this metaphor?
- Models with more information:
  - handle additional information (e.g. geography) colors?