

Robotics with Lego EV3 + Scratch



Andrea Sterbini – sterbini@di.uniroma1.it

Robotics: a very compelling problem setting

Using robots with kids allows you to:





- enhance motivation
- show concrete evidence of the kid's programs movements
- tackle CONCURRENT problems
 - read sensors WHILE moving
 - coordinate the movement of many motors

Scratch is VERY limited but, with Lego EV3, sufficient to build:



- a car moving in a labyrinth
- a robotic arm
- ...

Scratch Lego Mindstorms EV3 extension




3 NEW EVENTS




TIMED MOTORS



4 SENSORS



PLAY A NOTE



LIMITS of Lego EV3 Scratch extension: SENSORS

You can use ONLY ONE sensor for:

- DISTANCE (Ultrasound sensor)
 - DISTANCE IN INCHES???
- BRIGHTNESS (Light/colour sensor)
 - VERY LOW VALUES!!!

The BUTTON-PRESSED event is somewhat erratic

The DISTANCE-LESS-THAN event works better

The LIGHT-LESS-THAN event seems not to work!!! (!”\$\$”£!\$!)

NOTICE:

the program runs in the browser and interacts with EV3 by BT

LIMITS of Lego EV3 Scratch extension: MOTORS

You can use UP TO 4

- motors on A, B, C, D ports
- touch sensors on ports 1, 2, 3, 4

BUT: CANNOT rotate one motor for a given angle (ONLY TIMED run)

- Calibration is very important (e.g. time vs distance)

MOTOR POSITION SEEMS NOT TO WORK WELL !\$”\$!”£|!\$£|!

OTHER:

- BLUETOOTH IS “BLOODY TRICKY” ... !|\$!%£\$!”%!”

CONCURRENCY and Robotics in Scratch

You must coordinate:

- many motors (at least 2 for movement)
- many sensors

You can define multiple threads for the same event/MESSAGE

- unfortunately, messages DO NOT carry arguments
- (HACK: use global variables)

Choose a simple parametrization of single movements and JOIN

- time, speed, direction for each motor
- to get forward/backward, curves

Demo

DEMO